

---- IMPORTANT ----

TO: CSCN MEMBERSHIP

*** Please forward this for widest internal/external distribution ***


*** Organisations performing downstream data automation of CNA data TAKE NOTE ***

SUBJECT: CNA - CO Code Status data format change - New Pooled field

On the evening of **Thursday, 26 June 2025**, the CNA will be modifying the CO Code Status data, adding a “Pooled” field.

The new field will be titled “Pooled” and will be placed after the “Status” field. It is intended that the Pooled field ALWAYS be populated. The field indicates if the CO Code is a “pooled” (i.e., thousands-block pooling) code. The default for this field will be “N”. This includes non-pooled assigned codes, unassigned (available) codes or various unassignable codes. Codes that are assigned and participating in Thousands-Block Pooling will have a “Y” in the Pooled field.

Below is a sample of a “friendly” html CO Code Status page showing the additional field.



Canadian Numbering Administrator
Administrateur de la numérotation canadienne

CO Code Status for NPA 942

Click on column title for single-column sort or use the filters by selecting categories/ranges or type-in boxes. Above the title columns, the rows visible and total are noted on the left, data-page navigation in the center and records per page and “Clear filters” function (X) are located on the right. Download the [CSV](#) format status file for advanced data filtering and sorting in a desktop spreadsheet application.

Rows: 1-800 / 800 Page 1 of 1 Records: 800 X

NPA	CO Code (NXX)	Status	Pooled	Exchange Area	Province	Company	OCN	Remarks
<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>	<no filter>
942	200	Assigned	N	Toronto	ON	IXICA Communications Inc.	812H	
942	201	Assigned	N	Toronto	ON	Bell Mobility	6574	
942	202	Available	N					
942	942	Not Available	N					Home NPA
942	943	Available	N					
942	944	Available	N					
942	945	TBP Test Code	Y	Toronto	ON	Bell Canada	8051	TBP Test Code
942	946	TBP Test Code	Y	Toronto	ON	Rogers Communications Canada Inc. (Wireless)	8821	TBP Test Code
942	947	Available	N					
942	948	Available	N					
942	949	Available	N					
942	950	For Special Use	N					F.G. 'B' Access

Below is a sample of a Comma Separated Values (CSV) data file with CO Code data including the new Pooled field. CSV files for each NPA as well as the compressed .zip file containing all CO Code data will be updated to this format.

```

COCODEStatus_NPA942.csv
1 "NPA","CO Code (NXX)","Status","Pooled","Exchange Area","Province","Company","OCN","Remarks"
2 ,,,,,,2025-06-16
3 942,200,"Assigned","N","Toronto","ON","IXICA Communications Inc.", "812H",
4 942,201,"Assigned","N","Toronto","ON","Bell Mobility", "6574",
5 942,202,"Available","N",,,,,
6 :
7 942,942,"Not Available","N",,,,, "Home NPA"
8 942,943,"Available","N",,,,,
9 942,944,"Available","N",,,,,
10 942,945,"TBP Test Code","X","Toronto","ON","Bell Canada", "8051", "TBP Test Code"
11 942,946,"TBP Test Code","X","Toronto","ON","Rogers Communications Canada Inc. (Wireless)", "8821", "TBP Test Code"
12 942,947,"Available","N",,,,,
13 942,948,"Available","N",,,,,
14 942,949,"Available","N",,,,,
15 942,950,"For Special Use","N",,,,, "F.G. 'B' Access"
16

```

A reminder email will be sent out to the CSCN distribution the week of 23 June.

If you have any questions, please contact us at Inquiries@cnac.ca.

K.T.



Kelly T. Walsh – CNA Program Manager

Canadian Numbering Administrator

✉ kelly.walsh@cnac.ca

☎ +1 613-702-0016 ext 205